ARM380 Kitchen mixer

ARM380 Krom

Article Number

ARM380 Krom - 9426280 ARM380 Mattsvart - 9426278 ARM380 Brass - 9426276 ARM380 Copper - 9426282 ARM380 Bronze - 9426292 ARM380 Graphite - 9426294 ARM380 Black Chrome - 9426296 ARM380 Honey Gold - 9426284 ARM380 Brushed Black Chrome - 9426290 ARM380 Brushed Honey Gold - 9426288 ARM380 Brushed Nickel - 9426286

Kitchen faucet with turnable spout. The spout's turning radius can be limited to between 60 and 270 degrees at 15 degree intervals.

This kitchen tap offer exceptional functionality and boasts a sleek and modern design that will enhance the aesthetic of your kitchen. Crafted with high-quality materials, it ensures durability and longevity, providing you with a reliable and stylish fixture for years to come.



Cleaning

Wipe the surface with a soft cloth and lukewarm water and possibly with soap solution. Avoid alkaline, acid-liming or abrasive cleaners.

Brass is a material that over time gets a beautiful patina but can be polished with brass polish. Copper also gets patina but should not be polished. The other shiny surfaces retain their luster.

Decalcification

Aerators and shower handles should be regularly decalcified by placing them in a vinegar bath for a couple of hours. Should limescale stains occur, use eucalyptus oil and a soft cloth.

Lubrication

Lubricate only with silicone grease.

Maintenance

Visit our YouTube channel \rightarrow where there are instructional videos for changing the ceramic cartridge, changing aerators and more.

Specifications

Number of outgoing connections: 1 Dimension inlet: 10 mm alt. 3/8" Length protrusion outlet head: 200 mm

Machine shutdown: No


Lockable head: 60°, 90°, 120°, 150°, 180°, 210°, 240°, 270°

Turnable head: Yes


Dimensions/Weight

Package - Depth: 490 mm Package - Width: 290 mm Package - Height: 75 mm Package - Weight: 2,90 kg Product - Width: 55 mm Product - Depth: 249 mm Product - Height: 379 mm

Drawing - PDF




Exploded View



Flowcart

FLOWCHART

ARM180, ARM380 & ARM980



DATA

Pressure (kPa)	Flow lit/min	Flow lit/s
50	4,2	0,07
100	5,8	0,10
150	7,0	0,12
200	8,0	0,13
300	9,4	0,16
400	9,9	0,17
500	8,9	0,15
600	8,8	0,15
700	8,7	0,14
800	8,5	0,14
900	8,3	0,14
1000	8,0	0,13